

LITERATURVERZEICHNIS
in alphabetischer Reihenfolge

OVERVIEW ON CITED LITERATURE
in alphabetical order

- A** Alashram AR, Padua E, Romagnoli C, Annino G. Effectiveness of focal muscle vibration on hemiplegic upper extremity spasticity in individuals with stroke: A systematic review. *NeuroRehabilitation*. 2019 Dec 18;45(4):471-481.
- American Society for Surgery of the Hand. <http://www.assh.org/handcare/Anatomy/Details-Page/articleId/42987>. Retrieved 03.09.19
- Anderson J, DeLuca M, Haines ME, Merrick G. Immediate Effects of External Vibration vs Placebo on Vocal Function Therapy in Singers: A Randomized Clinical Trial. *JAMA Otolaryngol Head Neck Surg*. 2018 Mar 1;144(3):187-193.
- Attanasio G, Camerota F, Ralli M, Galeoto G, La Torre G, Galli M, De Vincentiis M, Greco A, Celletti C. Does focal mechanical stimulation of the lower limb muscles improve postural control and sit to stand movement in elderly? *Aging Clin Exp Res*. 2018 Oct;30(10):1161-1166.
- Ault P, Plaza A, Paratz J. Scar massage for hypertrophic burns scarring—A systematic review. *Burns*. 2018; 44(1): 24-38.
- Avvantaggiato C, Casale R, Cinone N, Facciorusso S, Turitto A, Stuppiello L, Picelli A, Ranieri M, Intiso D, Fiore P, Ciritella C, Santamato A. Localized muscle vibration in the treatment of motor impairment and spasticity in post-stroke patients: a systematic review. *Eur J Phys Rehabil Med*. 2021 Feb;57(1):44-60.
- B** Bakhtiar AH, Safavi-Farokhi Z, Aminian-Far A. Influence of vibration on delayed onset of muscle soreness following eccentric exercise. *Br J Sports Med*. 2007 Mar;41(3):145-8.
- Barsties von Latoszek B. Preliminary study of Novafon local vibration voice therapy for dysphonia treatment. *Logopedics Phoniatrics Vocology*. 2018a.
- Barsties von Latoszek B. Treatment Effectiveness of Novafon Local Vibration Voice Therapy for Dysphonia Treatment. *Journal of Voice*. 2018b;
- Ben Barsties v. Latoszek, Christopher R. Watts, A Case of Nervus Laryngeus Superior Paresis Treated With Novafon Local Vibration Voice Therapy, *Journal of Voice*, Volume 35, Issue 3, 2021, Pages 406-410.
- Beinert K, Englert V, Taube W. After-effects of neck muscle vibration on sensorimotor function and pain in neck pain patients and healthy controls - a case-control study. *Disabil Rehabil*. 2019 Aug;41(16):1906-1913.
- Beinert K, Keller M, Taube W. Neck muscle vibration can improve sensorimotor function in patients with neck pain. *Spine J*. 2015 Mar 1;15(3):514-21.
- Bento VF, Cruz VT, Ribeiro DD, Cunha JP. The vibratory stimulus as a neurorehabilitation tool for stroke patients: proof of concept and tolerability test. *NeuroRehabilitation*. 2012;30(4):287-93.
- Bishop B. Vibratory stimulation. Part III. Possible applications of vibration in treatment of motor dysfunctions. *Phys Ther*. 1975 Feb;55(2):139-43.
- Borowski A, Littleton AG, Borkhuu B, Presedo A, Shah S, Dabney KW, Lyons S, McMannus M, Miller F. Complications of intrathecal baclofen pump therapy in paediatric patients. *J Pediatr Orthop*. 2010 Jan-Feb;30(1):76-81.
- Brunetti O, Filippi GM, Lorenzini M, Liti A, Panichi R, Roscini M, Pettorossi VE, Cerulli G. Improvement of posture stability by vibratory stimulation following anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2006 Nov;14(11):1180-7.
- Brunetti O, Botti FM, Brunetti A, Biscarini A, Scarponi AM, Filippi GM, Pettorossi VE. Effects of focal vibration on bone mineral density and motor performance of postmenopausal osteoporotic women. *J Sports Med Phys Fitness*. 2015 Jan-Feb;55(1-2):118-27.
- C** Caliandro P, Celletti C, Padua L, Minciotti I, Russo G, Granata G, La Torre G, Granieri E, Camerota F. Focal muscle vibration in the treatment of upper limb spasticity: a pilot randomized controlled trial in patients with chronic stroke. *Arch Phys Med Rehabil*. 2012 Sep;93(9):1656-61.

Camerota F, Galli M, Celletti C, Vimercati S, Cimolin V, Tenore N, Filippi GM, Albertini G. Quantitative effects of repeated muscle vibrations on gait pattern in a 5-year-old child with cerebral palsy. *Case Rep Med.* 2011; 2011:359126.

Camerota F, Celletti C, Suppa A, Galli M, Cimolin V, Filippi GM, La Torre G, Albertini G, Stocchi F, DePandis FM. Focal Muscle Vibration Improves Gait in Parkinson's Disease: A Pilot Randomized, Controlled Trial. *Movement Disorders Clinical Practice.* 2016.

Casale R, Damiani C, Maestri R, Fundaro C, Chimento P, Foti C. Localized 100 Hz vibration improves function and reduces upper limb spasticity: a double-blind controlled study. *Eur J Phys Rehabil Med.* 2014 Qct;50(5):495-504.

Celletti C, Camerota F. Preliminary evidence of focal muscle vibration effects on spasticity due to cerebral palsy in a small sample of Italian children. *Clin Ter.* 2011;162(5):e125-8.

Celletti C, Sinibaldi E, Pierelli F, Monari G, Camerota F. Focal Muscle Vibration and Progressive Modular Rebalancing with neurokinetic facilitations in post- stroke recovery of upper limb. *Clin Ter.* 2017; 168(1): e33-e36.

Celletti C, Suppa A, Bianchini E, Lakin S, Toscano M, La Torre G, Di Piero V, Camerota F. Promoting post-stroke recovery through focal or whole body vibration: criticisms and prospects from a narrative review. *Neurol Sci.* 2020 Jan;41(1):11-24.

Charcot JM. Vibratory therapeutics.--The application of rapid and continuous vibrations to the treatment of certain diseases of the nervous system. 1892. *J Nerv Ment Dis.* 2011 Nov;199(11):821-7.

Costantino C, Galuppo L, Romiti D. Short-term effect of local muscle vibration treatment versus sham therapy on upper limb in chronic post-stroke patients: a randomized controlled trial. *Eur J Phys Rehabil Med.* 2017;53:32-40.

Császár NB, Angstman NB, Milz S, Sprecher CM, Kobel P, Farhat M, Furia JP, Schmitz C. Radial Shock Wave Devices Generate Cavitation. *PLoS One.* 2015 Oct 28;10(10):e0140541.

- D** De Köninck Y, Henry JL. Peripheral vibration causes an adenosine-mediated postsynaptic inhibitory potential in dorsal horn neurons of the cat spinal cord. *Neuroscience.* 1992 Sep;50(2):435-43.
Deutsche Gesellschaft für Sprachheilpädagogik DGS Information brochure No. 7, „DGS Information brochure. Dysarthrie / Dysarthrophonie.“

DGVS Information brochure. Dysarthrie / Dysarthrophonie. <http://www.dgs-ev.de/index.php?id=74>, abgerufen 30.06.2016.

Donnelly, CJ & Wilton, J. The Effect of Massage to Scars on Active Range of Motion and Skin Mobility. *The British Journal of Hand Therapy.* 2002; 7(1): 5-11.

- E** Eklund G, Steen M. Muscle vibration therapy in children with cerebral palsy. *Scand J Rehabil Med.* 1969; 1 (1):35-7.

Espeit L, Lapole T. Effects of graduated compression stockings, local vibration and their combination on popliteal venous blood velocity. *Phlebology.* 2020 Aug;35(7):505-512.

- F** Fattorini L, Ferraresi A, Rodio A, Azzena GB, Filippi GM. Motor performance changes induced by muscle vibration. *Eur J Appl Physiol.* 2006 Sep;98(1):79-87.

- G** Grant L. The use of a manual vibrator in the speech therapy program of four school-age mentally retarded children. *J Commun Disord.* 1982 Sep;15(5):375-83.

Guieu R, Tardy-Gervet MF, Giraud P. Met-enkephalin and beta-endorphin are not involved in the analgesic action of transcutaneous vibratory stimulation. *Pain.* 1992 Jan;48(1):83-8.

Guieu R, Tardy-Gervet MF, Giraud P. Substance P-like immunoreactivity and analgesic effects of vibratory stimulation on patients suffering from chronic pain. *Can J Neurol Sci.* 1993 May;20(2):138-41.

- H** Hagbarth KE, Eklund G. The effects of muscle vibration in spasticity, rigidity, and cerebellar disorders. *J Neurol Neurosurg Psychiatry.* 1968 Jun;31(3):207-13.
Hansson P, Ekblom A. Afferent stimulation induced pain relief in acute oro-facial pain and its failure to induce sufficient pain reduction in dental and oral surgery. *Pain.* 1984 Nov;20(3):273-8.
- Hansson P, Ekblom A. Influence of stimulus frequency and probe size on vibration-induced alleviation of acute orofacial pain. *Appl Neurophysiol.* 1986a;49(3):155-65.
- Hansson P, Ekblom A, Thomsson M, Fjellner B. Influence of naloxone on relief of acute oro-facial pain by transcutaneous electrical nerve stimulation (TENS) or vibration. *Pain.* 1986b Mar;24(3):323-9.
- Hansson P & Lundeberg T. Transcutaneous electrical nerve stimulation, vibration and acupuncture as pain-relieving measures. *Textbook of pain.* 1993 5th Edition, Chapter58; 1341-1351.
- Hartman-Maeir A, Katz N. Validity of the Behavioural Inattention Test (BIT): relationships with functional tasks. *Am J Occup Ther.* 1995 Jun;49(6):507-16.
- Hawker GA, Mian S, Kendzerska T, French M. Measures of adult pain: Visual Analogue Scale for Pain (VAS Pain), Numeric Rating Scale for Pain (NRS Pain), McGill Pain Questionnaire (MPQ), Short-Form McGill Pain Questionnaire (SF- MPQ), Chronic Pain Grade Scale (CPGS), Short Form-36 Bodily Pain Scale (SF-36 BPS), and Measure of Intermittent and Constant Osteoarthritis Pain (ICOAP). *Arthritis Care Res (Hoboken).* 2011 Nov; 63 Suppl 11 :S240-52.
- Herring JE. P/OTD 541 Critical Analysis of Occupational Therapy Practice. Creighton University. 2013.
- Hricová M, Hammer S, Lokale Vibrationstherapie in der Neurorehabilitation - Eignet sich der intraorale Vibrationsspatel zur Verbesserung der Zungenkraft bei Schlaganfallpatienten? - Eine Pilotstudie, Sprache · Stimme · Gehör 2021; 45(01): e1-e6.
- I** Imtiyaz S, Veqar Z, Shareef MY. To Compare the Effect of Vibration Therapy and Massage in Prevention of Delayed Onset Muscle Soreness (DOMS). *J Clin Diagn Res.* 2014 Jan;8(1):133-6.
- J** Johannsen L, Ackermann H, Karnath HO. Lasting amelioration of spatial neglect by treatment with neck muscle vibration even without concurrent training. *J Rehabil Med.* 2003 Nov;35(6):249-53.
- K** Kamada K, Shimodozono M, Hamada H, Kawahira K. Effects of 5 minutes of neck-muscle vibration immediately before occupational therapy on unilateral spatial neglect. *Disabil Rehabil.* 2011;33(23-24):2322-8.
Kamarunas E, Won SM & Ludlow CL. Laryngeal Vibration Increases Spontaneous Swallowing Rates in Chronic Oropharyngeal Dysphagia: A Proof-of-Principle Pilot Study. *Dysphagia.* 2019; 34 (5): 640-653.
- Kamarunas E, Wong SM, Ludlow CL. Laryngeal Vibration Increases Spontaneous Swallowing Rates in Chronic Oropharyngeal Dysphagia: A Proof-of-Principle Pilot Study. *Dysphagia.* 2019 Oct;34(5):640-653.
Karimi-AhmadAbadi A, Naghdi S, Nakhostin N, Fakhari Z, Khalifeloo M. A clinical single blind study to investigate the immediate effects of plantar vibration on balance in patients after stroke. *Journal of Bodywork and Movement Therapies.* 2018; 22(2): 242 – 246.
- Karnath HO, Christ K, Hartje W. Decrease of contralateral neglect by neck muscle vibration and spatial orientation of trunk midline. *Brain.* 1993 Apr;116 (Pt2):383-96.
- Karnath HO, Reich E, Rorden C, Fetter M, Driver J. The perception of body orientation after neck-proprioceptive stimulation. Effects of time and of visual cueing. *Exp Brain Res.* 2002 Apr;143(3):350-8.
- Khalifeloo M, Naghdi S, Ansari NN. A study on the immediate effects of plantar vibration on balance dysfunction in patients with stroke. *J Exerc Rehabil.* 2018;14(2):259-266.

Khan F, Amatya B, Bensmail D, Yelnik A. Non-pharmacological interventions for spasticity in adults: An overview of systematic reviews. *Ann Phys Rehabil Med.* 2019 Jul;62(4):265-273.

George A. Koumantakis, Eleonora Roussou, Georgios A. Angoules, Nikolaos A. Angoules, Theodoros Alexandropoulos, Georgia Mavrokosta, Prokopios Nikolaou, Filippi Karathanassi, Maria Papadopoulou, The immediate effect of IASTM vs. Vibration vs. Light Hand Massage on knee angle repositioning accuracy and hamstrings flexibility: A pilot study, *Journal of Bodywork and Movement Therapies*, Volume 24, Issue 3, 2020, Pages 96-104.

- L** Lancet [No authors listed]. Vibration therapy for pain. *Lancet.* 1992 Jun 20;339(8808):1513-4.
- Li W, Li C, Xiang Y, Ji L, Hu H, Liu Y. Study of the activation in sensorimotor cortex and topological properties of functional brain network following focal vibration on healthy subjects and subacute stroke patients: An EEG study. *Brain Res.* 2019 Nov 1;1722:146338.
- Li W, Li C, Xu Q, Guan X, Ji L. Influence of focal vibration over Achilles tendon on the activation of sensorimotor cortex in healthy subjects and subacute stroke patients. *Neuroreport.* 2019 Nov 6;30(16):1081-1086.
- Li W, Li C, Xu Q, Ji L, Effects of Focal Vibration over Upper Limb Muscles on the Activation of Sensimotor Cortex Network: An EEG Study. *J Healthc Eng.* 2019 May 27;2019(2):9167028.
- Liepert J, Binder C. Vibration-induced effects in stroke patients with spastic hemiparesis- a pilot study. *Restor Neurol Neurosci.* 2010; 28 (6): 729-35.
- List M. *Physiotherapie in der Traumatologie – Handchirurgie.* Springer Medizin Verlag Heidelberg. 2009; S. 210-232.
- Lu X, Wang Y, Lu J, You Y, Zhang L, Zhu D, Yao F. Does vibration benefit delayed-onset muscle soreness?: a meta-analysis and systematic review. *J Int Med Res.* 2019 Jan;47(1):3-18.
- Lucente G, Valls-Sole J, Murillo N, Rothwell J, Coll J, Davalos A, Kumru H., Noninvasive Brain Stimulation and Noninvasive Peripheral Stimulation for Neglect Syndrome Following Acquired Brain Injury, *Neuromodulation.* 2020 Apr;23(3):312-323.
- Lundeberg T, Nordemar R, Ottoson D. Pain alleviation by vibratory stimulation. *Pain.* 1984a Sep;20(1):25-44.
- Lundeberg T. Long-term results of vibratory stimulation as a pain relieving measure for chronic pain. *Pain.* 1984b Sep;20(1):13-23.
- Lundeberg T. The pain suppressive effect of vibratory stimulation and transcutaneous electrical nerve stimulation (TENS) as compared to aspirin. *Brain Res.* 1984c Mar 5;294(2):201-9.
- Lundeberg T. Vibratory stimulation for the alleviation of pain. *Am J Chin Med.* 1984d Summer; 12(1-4):60-70.
- Lundeberg T. Naloxone does not reverse the pain-reducing effect of vibratory stimulation. *Acta Anaesthesiol Scand.* 1985a Feb;29(2):212-6.
- Lundeberg T. Relief of pain from a phantom limb by peripheral stimulation. *J Neurol.* 1985b;232(2):79-82.
- Lundeberg T, Abrahamsson P, Bondesson L, Haker E. Vibratory stimulation compared to placebo in alleviation of pain. *Scand J Rehabil Med.* 1987;19(4):153-8.
- Lundeberg T, Abrahamsson P, Bondesson L, Haker E. Effect of vibratory stimulation on experimental and clinical pain. *Scand J Rehabil Med.* 1988;20(4):149-59.
- M** Mandic V, Tavernese E, Paolini M, Mangone M, Santilli V. Kinematic analysis of upper-extremity movements after segmental muscle vibration therapy in patients with stroke: A randomized controlled trial. *Gait & Posture.* 2012; 35: S21 - S22.
- Marconi B, Filippi GM, Koch G, Pecchioli C, Salerno S, Don R, Camerota F, Saraceni VM, Caltagirone C. Long-term effects on motor cortical excitability induced by repeated muscle vibration during contraction in healthy subjects. *J Neurol Sei.* 2008 Dec 15;275(1-2):51-9.

Marconi B, Filippi GM, Koch G, Giacobbe V, Pecchioli C, Versace V, Camerota F, Saraceni VM, Caltagirone C. Long-term effects on cortical excitability and motor recovery induced by repeated muscle vibration in chronic stroke patients. *Neurorehabil Neural Repair*. 2011 Jan; 25 (1): 48-60.

McCormack GL. Pain management by occupational therapists. *Am J Occup Ther*. 1988 Sep;42(9):582-90.

McDonagh D, Wilson L, Haslam C, Weightman D. Good vibrations: do electrical therapeutic massage devices work? *Ergonomics*. 2005 May 15;48(6):680-91.

Melzack R, Wall PD. Pain mechanisms: a new theory. *Science*. 1965 Nov 19;150(3699):971-9.

Melzack R. The McGill Pain Questionnaire: major properties and scoring methods. *Pain*. 1975 Sep;1(3): 277-99.

Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLOS Medicine*. July 2009; 6 (7): e1000097

Monstrey S, Middelkoop E, Vranckx JJ, Bassetto F, Ziegler UE, Meaume S. Updated Scar Management Practical Guidelines: Non-invasive and invasive measures. *Journal of Plastic, Reconstructive & Aesthetic Surgery*. 2014; 67(8):1017 – 1025.

Moore ML, Dewey WS, Richard RL. Rehabilitation of the Burned Hand. *Hand Clinics*. 2009; 25(4):529-541.

Mortaza N, Abou-Setta A, Zarychanski R, Loewen H, Rabbani R, Glazebrook CM. Upper limb tendon/ muscle vibration in persons with subacute and chronic stroke: a systematic review and meta-analysis. *Eur J Phys Rehabil Med*. 2019.

Motzko, M; Weinter, M, Albrecht U. Kiefergelenk und Kaustörungen – ein multidisziplinäres Praxisbuch. Springer- Verlag GmbH Deutschland, 2019.

Murillo N, Valls-Sole J, Vidal J, Opiiso E, Medina J, Kumru H. Focal vibration in neurorehabilitation. *Eur J Phys Rehabil Med*. 2014 Apr;50(2):231-42.

N National Osteoporosis Society. Vibration therapy and osteoporosis, March 2015 <https://www.nos.org.uk/>; abgerufen 30.06.2016

Noma T, Matsumoto S, Shimodozono M, Etoh S, Kawahira K. Anti-spastic effects of the direct application of vibratory stimuli to the spastic muscles of hemiplegic limbs in post-stroke patients: a proof-of-principle study. *J Rehabil Med*. 2012 Apr;44(4):325-30.

O Önal B, Karaca G, Sertel M. Immediate Effects of Plantar Vibration on Fall Risk and Postural Stability in Stroke Patients: A Randomized Controlled Trial. *J Stroke Cerebrovasc Dis*. 2020 Dec;29(12):105324.

Oliveri DJ, Lynn K, Hong CZ. Increased skin temperature after vibratory stimulation. *Am J Phys Med Rehabil*. 1989 Apr;68(2):81-5.

Ottoson D, Ekblom A, Hansson P. Vibratory stimulation for the relief of pain of dental origin. *Pain*. 1981 Feb;10(1):37-45.

P Paolini M, Giovannelli M, Mangone M, Leonardi L, Tavernese E, DiPangrazio E, Bernetti A, Santilli V, Pozzilli C. Does giving segmental muscle vibration alter the response to botulinum toxin injections in the treatment of spasticity in people with multiple sclerosis? A single blinded randomized controlled trial. *Clinical Rehabilitation* 2013;27(9):803-8012.

Paoloni M, Tavernese E, Fini M, Sale P, Franceschini M, Santilli V, Mangone M. Segmental muscle vibration modifies muscle activation during reaching in chronic stroke: A pilot study. *NeuroRehabilitation*. 2014;35(3):405-14.

Parris WCV. Biostimulation method for the relief of cancer pain. For the treatment of acute and chronic pain

1996, pp 253260.

Peters, B. Narbentherapie – Praxisbuch für Ergotherapeuten und Physiotherapeuten; S. 150. Springer-Verlag Berlin Heidelberg, 2017.

Phadke CP, Balasubramanian CK, Holz A, Davidson C, Ismail F, Boulias C. Adverse Clinical Effects of Botulinum Toxin Intramuscular Injections for Spasticity. *Can J Neurol Sci.* 2016 Mar;43(2):298-310.

Piepenbrock S, Sittig HB. Tumour pain therapy. *Current knowledge for anaesthetists.* 1998;24:45-64.

Poenaru D, Cinteza D, Petrusca I, Cioc L, Dumitrascu D. Local Application of Vibration in Motor Rehabilitation - Scientific and Practical Considerations. *Prosiegel M & Weber S. Dysphagia.* Springer Verlag Berlin-Heidelberg, 2013.

Prosiegel M, Weber S. *Dysphagie: Diagnostik und Therapie - Ein Wegweiser für kompetentes Handeln.* 2018; 3. Auflage, Springer Verlag Berlin Heidelberg.

R Reichert B. *Massage therapy.* Georg Thieme Verlag Stuttgart - New York. 2015.

Roy E, Hollins M & Maixner W. Reduction of TMD pain by high-frequency vibration: a spatial and temporal analysis. *Pain.* 2003; 101: 267-174.

S S1_Karnath H.-O., Zihl J. (geteilte Erstautorenschaft) et al. S1-Leitlinie Rehabilitation bei Störungen der Raumkognition. Deutsche Gesellschaft für Neurologie, Hrsg. Leitlinien für Diagnostik und Therapie in der Neurologie. Online: www.dgn.org/leitlinien (abgerufen am 03.08.2019). 2017.

S2k_Platz T. et al. Therapie des spastischen Syndroms, S2k-Leitlinie, 2018. Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie. Online: www.dgn.org/leitlinien (abgerufen am 03.08.2019). 2018.

„S3-Leitlinie „Rehabilitative Therapie bei Armparese nach Schlaganfall“ der DGNR – Langversion“, Deutsche Gesellschaft für Neurorehabilitation e.V. (DGNR), AWMF Nr. 080/003.

Schindler I, Kerkhoff G, Karnath HO, Keller I, Goldenberg G. Neck muscle vibration induces lasting recovery in spatial neglect. *J Neurol Neurosurg Psychiatry.* 2002 Oct;73(4):412-9.

„Schlaganfall S3-Leitlinie“, Deutsche Gesellschaft für Allgemeinmedizin und Familienmedizin e.V. (DEGAM), AWMF-Register-Nr. 053-011, DEGAM-Leitlinie Nr. 8.

Schmitt T. Influence of vibration therapy on unspecific back pain. Dissertation, Faculty of Medicine, University of Regensburg. 2013.

Schuster M, Wagner-Krön C, Berghaus A. Finally back to voice therapy options in dysphonia. *MMW-Fortschr. Med.* 2015; 157 (3).

Schröder J, Truijen S, Van Criekinge T & Saeys W. Peripheral somatosensory stimulation and postural recovery after stroke – a systematic review. *Topics in Stroke Rehabilitation.* 2018; 25(4):312-320.

Seco J, Rodriguez-Perez V, López-Rodriguez AF, Torres-Unda J, Echevarria E, Diez-Alegre MI, Ortega A, Moran P, Mendoza-Laiz N, Abecia Inchaurregui LC. Effects of vibration therapy on hormone response and stress in severely disabled patients: a double-blind randomized placebo-controlled clinical trial. *Rehabil Nurs.* 2015 May-Jun;40(3):166-78.

Serritella E, Scialanca G, Di Giacomo P, Di Paolo C. Local Vibratory Stimulation for Temporomandibular Disorder Myofascial Pain Treatment: A Randomised, Double-Blind, Placebo-Controlled Preliminary Study. *Pain Res Manag.* 2020 Dec 5;2020:6705307.

Sharma P, Czyn CN, Wulc AE. Investigating the efficacy of vibration anaesthesia to reduce pain from cosmetic botulinum toxin injections. *Aesthet Surg J.* 2011 Nov; 31 (8): 966-71.

Simon O, Yelnik AP. Managing spasticity with drugs. *Eur J Phys Rehabil Med.* 2010 Sep; 46 (3): 401-10.

Smith KC, Comite SL, Balasubramanian S, Carver A, Liu JF. Vibration anaesthesia: a non-invasive method of reducing discomfort prior to dermatologic procedures. *Dermatol Online J.* 2004 Oct 15; 10 (2): 1.

Souron R, Farabet A, Féasson L, Belli A, Millet GY, Lapole T. Eight weeks of local vibration training increases dorsiflexor muscle cortical voluntary activation. *J Appl Physiol* (1985). 2017 Jun 1;122(6):1504-1515.

T Taspinar F, Aslan UB, Sabir N, Cavlak U. Implementation of matrix rhythm therapy and conventional massage in young females and comparison of their acute effects on circulation. *J Altern Complement Med.* 2013 Oct; 19 (10): 826-32.

Tavernese E, Paoloni M, Mangone M, Mandic V, Sale P, Franceschini M, Santilli V. Segmental muscle vibration improves reaching movement in patients with chronic stroke. A randomized controlled trial. *NeuroRehabilitation.* 2013; 32 (3): 591-9.

Teasel R, Salter K, Foley N, Rice D, Allen R, Hussein N, Menon A, Mahon H, Jutai J. Perceptual Disorders. *EBSR, Evidence-based reviews of stroke disorders.* November 2013.

Toscano M, Celletti C, Viganò A, Altarocca A, Giuliani G, Jannini T, Di Piero V. Short-Term Effects of Focal Muscle Vibration on Motor Recovery After Acute Stroke: A Pilot Randomized Sham-Controlled Study. *Front. Neurol.* 2019; 10:115.

Trautwein AX, Hüttermann J. Physics for physicians, biologists, pharmacists. Chapter 7.12. De Gruyter, 2004.

U Usuki F, Tohyama S. Three Case Reports of Successful Vibration Therapy of the Plantar Fascia for Spasticity Due to Cerebral Palsy-Like Syndrome, FetalType Minamata Disease. *Medicine (Baltimore).* 2016 Apr; 95(15):e3385.

V Vacariu G, Schuhfried O, Korpan M. Physical therapy and rehabilitation of pain syndromes. *Compendium of Physical Medicine and Rehabilitation.* 2005;189-215.

W Wanderley FS, Albuquerque-Sendin F, Parizotto NA, Rebelatto JR. Effect of plantar vibration stimuli on the balance of older women: a randomized controlled trial. *Arch Phys Med Rehabil.* 2011 Feb;92(2):199-206.

Winstein C, Joel Stein, Ross Arena, Barbara Bates et al., Richtlinien für die Rehabilitation und Genesung von Schlaganfällen bei Erwachsenen Eine Richtlinie für Angehörige der Gesundheitsberufe der American Heart Association / American Stroke Association. *Stroke* Vol. 47, Nr. 6 Richtlinien für die Rehabilitation und Genesung von Schlaganfällen bei Erwachsenen.

Y Yiu E, Yiu C, Chan C, Barrett E & Lu D. Vibrational Therapies for Vocal Fatigue. *Journal of Voice.* 2019 IN PRESS.