

ORIGINAL NOVAFON SOUND WAVE DEVICES
ORIGINAL NOVAFON SCHALLWELLENGERÄTE
LITERATURE / LITERATURVERZEICHNIS



GENERAL NEUROLOGY / NEUROLOGIE

- Hagbarth KE, Eklund G. The effects of muscle vibration in spasticity, rigidity, and cerebellar disorders. *J Neurol Neurosurg Psychiatry*. 1968 Jun;31(3):207-13.
- Lin HN, Nagaoka M, Hayashi Y, Hatori K. Effect of vibration stimulation on dysbasia of spastic paraplegia in neuromyelitis optica: a possible example of neuronal plasticity. *BMJ Case Rep*. 2012 Oct 6;2012.
- Mandic V, Tavernese E, Paolini M, Mangone M, Santilli V. Kinematic analysis of upper-extremity movements after segmental muscle vibration therapy in patients with stroke: A randomized controlled trial. *Gait & Posture*. 2012; 35: S21 - S22.
- Marconi B, Filippi GM, Koch G, Pecchioli C, Salerno S, Don R, Camerota F, Saraceni VM, Caltagirone C. Long-term effects on motor cortical excitability induced by repeated muscle vibration during contraction in healthy subjects. *J Neurol Sci*. 2008 Dec 15;275(1-2):51-9.
- Murillo N, Valls-Sole J, Vidal J, Opisso E, Medina J, Kumru H. Focal vibration in neurorehabilitation. *Eur J Phys Rehabil Med*. 2014 Apr;50(2):231-42.
- Paoloni M, Tavernese E, Fini M, Sale P, Franceschini M, Santilli V, Mangone M. Segmental muscle vibration modifies muscle activation during reaching in chronic stroke: A pilot study. *NeuroRehabilitation*. 2014;35(3):405-14.
- Pazzaglia C, Camerota F, Germanotta M, Di Sipio E, Celletti C, Padua L. Efficacy of focal mechanic vibration treatment on balance in Charcot-Marie-Tooth 1A disease: a pilot study. *J Neurol*. 2016 May 13.
- Sadeghi M, Sawatzky B. Effects of vibration on spasticity in individuals with spinal cord injury: a scoping systematic review. *Am J Phys Med Rehabil*. 2014 Nov;93(11):995-1007.
- Tavernese E, Paoloni M, Mangone M, Mandic V, Sale P, Franceschini M, Santilli V. Segmental muscle vibration improves reaching movement in patients with chronic stroke. A randomized controlled trial. *NeuroRehabilitation*. 2013;32(3):591-9.

SPASTICITY / SPASTIK

- Caliandro P, Celletti C, Padua L, Minciotti I, Russo G, Granata G, La Torre G, Granieri E, Camerota F. Focal muscle vibration in the treatment of upper limb spasticity: a pilot randomized controlled trial in patients with chronic stroke. *Arch Phys Med Rehabil*. 2012 Sep;93(9):1656-61.
- Camerota F., Celletti C., Don R., Nucci F. (2013). Preliminary evidence of the efficacy of the repetitive muscle vibration therapy in chronic foot drop. *Acupuncture and Related Therapies*. 1(2-3): 27-30.
- Casale R, Damiani C, Maestri R, Fundarò C, Chimento P, Foti C. Localized 100 Hz vibration improves function and reduces upper limb spasticity: a double-blind controlled study. *Eur J Phys Rehabil Med*. 2014 Oct;50(5):495-504.
- Liepert J, Binder C. Vibration-induced effects in stroke patients with spastic hemiparesis - a pilot study. *Restor Neurol Neurosci*. 2010;28(6):729-35.
- Lin H.N., Nagaoka M., Hayashi Y. & Hatori K. (2012). Effect of vibration stimulation on dysbasia of spastic paraplegia in neuromyelitis optica: a possible example of neuronal plasticity. *BMJ Case Reports*. 10.1136/bcr-2012-006793.
- Marconi B, Filippi GM, Koch G, Giacobbe V, Pecchioli C, Versace V, Camerota F, Saraceni VM, Caltagirone C. Long-term effects on cortical excitability and motor recovery induced by repeated muscle vibration in chronic stroke patients. *Neurorehabil Neural Repair*. 2011 Jan;25(1):48-60.
- Murillo N., Kumru H., Vidal-Samsó J., Benito J., Medina J., Navarro X. & Valls-Sole J. (2010). Decrease of spasticity with muscle vibration in patients with spinal cord injury. *Clinical Neurophysiology*. 122(6):1183- 9.
- Noma T, Matsumoto S, Shimodozono M, Etoh S, Kawahira K. Anti-spastic effects of the direct application of vibratory stimuli to the spastic muscles of hemiplegic limbs in post-stroke patients: a proof-of-principle study. *J Rehabil Med*. 2012 Apr;44(4):325-30.
- Paoloni M, Mangone M, Scettri P, Procaccianti R, Cometa A, Santilli V. Segmental muscle vibration improves walking in chronic stroke patients with foot drop: a randomized controlled trial. *Neurorehabil Neural Repair*. 2010 Mar-Apr;24(3):254-62
- Paolini M, Giovannelli M, Mangone M, Leonardi L, Tavernese E, DiPangrazio E, Bernetti A, Santilli V, Pozzilli C. Does giving segmental muscle vibration alter the response to botulinum toxin injections in the treatment of spasticity in people with multiple sclerosis? A single blinded randomized controlled trial. *Clinical Rehabilitation* 2013;27(9):803-8012

CEREBRAL PALSY / INFANTILE ZEREBRALPARESE

Camerota F, Galli M, Celletti C, Vimercati S, Cimolin V, Tenore N, Filippi GM, Albertini G. Quantitative effects of repeated muscle vibrations on gait pattern in a 5-year-old child with cerebral palsy. *Case Rep Med*. 2011;2011:359126.

Celletti C, Camerota F. Preliminary evidence of focal muscle vibration effects on spasticity due to cerebral palsy in a small sample of Italian children. *Clin Ter*. 2011;162(5):e125-8

Eklund G, Steen M. Muscle vibration therapy in children with cerebral palsy. *Scand J Rehabil Med*. 1969;1(1):35-7.

Katusic A, Alimovic S, Mejaski-Bosnjak V. The effect of vibration therapy on spasticity and motor function in children with cerebral palsy: a randomized controlled trial. *NeuroRehabilitation*. 2013;32(1):1-8.

Usuki F, Tohyama S. Three Case Reports of Successful Vibration Therapy of the Plantar Fascia for Spasticity Due to Cerebral Palsy-Like Syndrome, Fetal- Type Minamata Disease. *Medicine (Baltimore)*. 2016 Apr;95(15):e3385.

PARKINSON'S DISEASE / MORBUS PARKINSON

Camerota F, Celletti C, Suppa A, Galli M, Cimolin V, Filippi GM, La Torre G, Albertini G, Stocchi F, DePandis FM. Focal Muscle Vibration Improves Gait in Parkinson's Disease: A Pilot Randomized, Controlled Trial. *Movement Disorders Clinical Practice*. 2016. DOI:10.1002/mdc3.12323

Jöbges EM, Elek J, Rollnik JD, Dengler R, Wolf W. Vibratory proprioceptive stimulation affects Parkinsonian tremor. *Parkinsonism Relat Disord*. 2002 Jan;8(3):171-6.

King L, Almeida Q.J. & Ahonen H. (2009). Short-term effects of vibration therapy on motor impairments in Parkinson's disease. *NeuroRehabilitation*. 25:297-306.

Valkovic P, Krafczyk S, Saling M, Benetin J, Bötzel K. Postural reactions to neck vibration in Parkinson's disease. *Mov Disord*. 2006 Jan;21(1):59-65.

SPATIAL NEGLECT / NEGLECT

Johannsen L, Ackermann H, Karnath HO. Lasting amelioration of spatial neglect by treatment with neck muscle vibration even without concurrent training. *J Rehabil Med*. 2003 Nov;35(6):249-53.

Kamada K, Shimodozono M, Hamada H, Kawahira K. Effects of 5 minutes of neck-muscle vibration immediately before occupational therapy on unilateral spatial neglect. *Disabil Rehabil*. 2011;33(23-24):2322-8.

Karnath HO, Christ K, Hartje W. Decrease of contralateral neglect by neck muscle vibration and spatial orientation of trunk midline. *Brain*. 1993 Apr;116 (Pt 2):383-96.

Karnath HO, Reich E, Rorden C, Fetter M, Driver J. The perception of body orientation after neck-proprioceptive stimulation. Effects of time and of visual cueing. *Exp Brain Res*. 2002 Apr;143(3):350-8.

Saevarsson, S., Kristjansson, A., & Halsband, U. (2010). Strength in numbers: Combining neck vibration and prism adaptation produces additive therapeutic effects in unilateral neglect. *Neuropsychological Rehabilitation*. 20(5), 704-724.

Schindler I, Kerkhoff G, Karnath HO, Keller I, Goldenberg G. Neck muscle vibration induces lasting recovery in spatial neglect. *J Neurol Neurosurg Psychiatry*. 2002 Oct;73(4):412-9

PAIN / SCHMERZ

Beinert K, Keller M, Taube W. Neck muscle vibration can improve sensorimotor function in patients with neck pain. *Spine J*. 2015 Mar 1;15(3):514-21.

Eklund A, Hansson P. Extrasegmental transcutaneous electrical nerve stimulation and mechanical vibratory stimulation as compared to placebo for the relief of acute oro-facial pain. *Pain*. 1985 Nov;23(3):223-9.

Guieu R., Tardy-Gervet M.F. & Giraud P. (1993). Substance P-like immunoreactivity and analgesic effects of vibratory stimulation on patients suffering from chronic pain. *Canadian Journal of Neurological Sciences*. 20(2):138-41.

Lundeberg T, Nordemar R, Ottoson D. Pain alleviation by vibratory stimulation. *Pain*. 1984a Sep;20(1):25-44.

Lundeberg T. (1984c). The pain suppressive effect of vibratory stimulation and transcutaneous electrical nerve stimulation (TENS) as compared to aspirin. *Brain Research*. 294(2):201-9.

Lundeberg T. (1985b). Relief of pain from a phantom limb by peripheral stimulation. *Journal of Neurology*. 232(2):79-82.

Nanitsos E, Vartuli R, Forte A, Dennison PJ, Peck CC. The effect of vibration on pain during local anaesthesia injections. *Aust Dent J*. 2009 Jun;54(2):94-100.

Sharma P, Czyz CN, Wulc AE. Investigating the efficacy of vibration anesthesia to reduce pain from cosmetic botulinum toxin injections. *Aesthet Surg J*. 2011 Nov;31(8):966-71.

Smith KC, Comite SL, Balasubramanian S, Carver A, Liu JF. Vibration anesthesia: a noninvasive method of reducing discomfort prior to dermatologic procedures. *Dermatol Online J*. 2004 Oct 15;10(2):1.

Staud R., Robinson M.E., Goldman C.T., Price D.D. (2011). Attenuation of experimental pain by vibro-tactile stimulation in patients with chronic local or widespread musculoskeletal pain. *European Journal of Pain*. 15(8):836-42.

ORTHOPAEDICS / ORTHOPÄDIE

Brunetti O, Filippi GM, Lorenzini M, Liti A, Panichi R, Roscini M, Pettorossi VE, Cerulli G. Improvement of posture stability by vibratory stimulation following anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2006 Nov;14(11):1180-7

Brunetti O, Botti FM, Roscini M, Brunetti A, Panichi R, Filippi GM, Biscarini A, Pettorossi VE. Focal vibration of quadriceps muscle enhances leg power and decreases knee joint laxity in female volleyball players. *J Sports Med Phys Fitness*. 2012 Dec;52(6):596-605.

Brunetti O, Botti FM, Brunetti A, Biscarini A, Scarponi AM, Filippi GM, Pettorossi VE. Effects of focal vibration on bone mineral density and motor performance of postmenopausal osteoporotic women. *J Sports Med Phys Fitness*. 2015 Jan-Feb;55(1-2):118-27.

Chang YP, Chiang H, Shih KS, Ma HL, Lin LC, Hsu WL, Huang YC, Wang HK. Effects of Therapeutic Physical Agents on Achilles Tendon Microcirculation. *J Orthop Sports Phys Ther*. 2015 Jul;45(7):563-9.

Thompson C, Bélanger M, Fung J. Effects of bilateral Achilles tendon vibration on postural orientation and balance during standing. *Clin Neurophysiol*. 2007 Nov;118(11):2456-67.

SCARS / NARBEN

Donnelly CJ, Wilton J. The effect of massage to scar on active range of motion and skin mobility. *British Journal of Hand Therapy* 2002;7(1):1-6.

Moore ML, Dewey WS, Richard RL. Rehabilitation of the burned hand. *Hand Clin*. 2009 Nov;25(4):529-41.

SPEECH AND LANGUAGE THERAPY / LOGOPÄDIE

Fischer MJ, Gutenbrunner C, Ptok M. Intensified voice therapy: a new model for the rehabilitation of patients suffering from functional dysphonias. *Int J Rehabil Res*. 2009 Dec;32(4):348-55.

Grant L. The use of a manual vibrator in the speech therapy program of four school-age mentally retarded children. *J Commun Disord*. 1982 Sep;15(5):375-83.

Koszyła-Hojna B, Kuryliszyn-Moskal A, Rogowski M, Moskal D, Dakowicz A, Falkowski D, Kasperuk J. [The impact of vibratory stimulation therapy on voice quality in hyperfunctional occupational dysphonia]. *Otolaryngol Pol*. 2012b May-Jun;66(3):219-26.

OTHER / SONSTIGE

Fattorini L, Ferraresi A, Rodio A, Azzena GB, Filippi GM. Motor performance changes induced by muscle vibration. *Eur J Appl Physiol*. 2006 Sep;98(1):79-87.

Fayers T, Morris DS, Dolman PJ. Vibration-assisted anesthesia in eyelid surgery. *Ophthalmology*. 2010 Jul;117(7):1453-7.

Filippi GM, Brunetti O, Botti FM, Panichi R, Roscini M, Camerota F, Cesari M, Pettorossi VE. Improvement of stance control and muscle performance induced by focal muscle vibration in young-elderly women: a randomized controlled trial. *Arch Phys Med Rehabil*. 2009 Dec;90(12):2019-25.

McMahon C. (1981). Rationale for the use of vibration in management of tactile defensive patients. *Australian Journal of Physiotherapy*. 27(3):75-80.

